

ALLERGENS FACT SHEET

SilverSense SDF[®] 38% Silver Diamine Fluoride is an effective medical device for the treatment of dental hypersensitivity. This fact sheet is provided to ensure the safety of the users and patients regarding potential allergic reactions to the SilverSense SDF composition.

SilverSense SDF contains silver, ammonia, and fluoride, although these compounds are reacted to form the 38% silver diamine fluoride composition in the finished product. SilverSense SDF also contains food-grade green colorant to increase visibility during use. Health care providers should use caution when using SilverSense SDF on patients with known allergies to these compounds.

Typically, silver allergies result from allergies to other elements (e.g., nickel) contained in lower purity silver compounds. Due to the high purity of the silver used in SilverSense SDF, these allergies are not expected.

Centrix's objective is to provide adequate safety information regarding the use of our products through allergen fact sheets and cautions/contra-indications in instructions for use. In cases where additional cautionary information is necessary, users are advised to perform allergen patch screening using Centrix materials to make the best judgement for the patient.

COMMON ALLERGENS	PRESENT IN SILVERSENSE SDF ¹
Dairy Products (including derivatives)	No
Egg Products	No
Gluten (including wheat, barley, millet & rye)	No
Soy Products (including soy lecithin)	No
Peanut Products	No
Tree Nuts & Derivatives (including almond, Brazil nut, cashew, chestnut, hazelnut/filbert, macadamia, pecan, pine nuts, pistachio, walnut)	No
Seed Products (including sesame, sunflower, cottonseed, poppy)	No

¹No common allergens are present in the product itself or in the finished product manufacturing facility. Centrix cannot confirm that common allergens are not present in the raw materials production facilities. If signs of an allergic reaction occur, discontinue use immediately and seek medical attention.



Tim White | Regulatory Affairs Manager